



Technical Data Sheet

CASTROL LUBRI-KUT 150

DESCRIPTION:

Castrol Lubri-Kut 150 is a multi-functional, mineral oil based chain and cutter bar lubricant, containing a unique additive package tailor-made for chainsaws.

APPLICATION:

- Castrol Lubri-Kut 150 is recommended for use in all makes of chainsaws as a chain and cutter lubricant.
- The highly effective additive package ensures maximum performance and protection to chains and guide bars under all working conditions.

BENEFITS:

- Reduces downtime.
- Reduces stockholding and is cost effective.
- Excellent lubricant retention, film thickness and surface adhesion, resulting in lower oil consumption.
- Extended life to chains, cutter bars and sprocket bearings.
- The highly effective corrosion inhibitor carries on working when the chainsaw is standing to protect against the corrosive effect of the wood sap.
- The viscosity grade and high viscosity index has been selected to give optimum performance in all operating conditions.
- Ensures maximum protection at cold start-up, as well as at high working temperatures.
- The anti-wear additive protects chains, cutter bars, bearings and sprockets even in the most arduous working conditions.
- After extensive field trials, substantial improvement in wear life of components was achieved.
- Contains anti-wear and anti-corrosive additives.

TYPICAL CHARACTERISTICS:

Castrol Lubri-Kut 150	
Product Code	32113
Density at 20°C	0.888
Viscosity at 40°C mm ² /s	150.0
Viscosity at 100°C mm ² /s	14.6
Viscosity Index	95
Flash Point °C (COC)	236
Pour Point °C	-9

Last Edited: 31/01/2008

This Data sheet and information it contains is considered to be accurate at the date of printing. No warranty or representation, expressed or implied is made as to the accuracy or completeness of the data and information contained in this publication. It is the User's obligation to evaluate and use products safely and within the scope advised in the data sheet and to comply with all applicable laws and regulations. No statement made in this publication shall be construed as a permission, recommendation or authorisation given or implied to practice any patented invention without a valid licence. The Seller shall not be responsible for any loss or damage resulting from any hazards or risks identified in the data sheet and which are associated with petroleum products concerned (provided that this disclaimer shall not affect any statutory right of the Buyer of the petroleum product concerned).